PTO/SB/106 (8-96)
Approved for use through 9/30/98. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Declaration and Power of Attorney For Patent Application

Japanese Lan	guage Declaration
: 日本	語宣言書
下いの氏名の発明者として、私は以下の通り宣言します。	As a below narrad inventor, I hereby declae 'hat:
私の住所、私杏箱、国籍は下記の私の氏名の後に記載され た通りです。	My residence, post office address and citizenship are as stated next to my name.
下記の名称の発明に関して請求範囲に記載され、特許出願 している発明内容について、私が是初かつ権一の発明者(下 記の氏名が一つの場合)もしくは是初かつ共同発明者である	I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plura names are listed below) of the subject matter which is claimed and
と(下記の名称が複数の場合)信じています。	for which a patent is sought on the invention entitled
· .	NETWORK SYSTEM WITH DYNAMIC SERVICE
	PROFILE UPDATING FUNCTIONS
ト記発明の明確書(下記の欄でxplがついていない場合は、 水宮に落付)は、	the specification of which is attached hereto unless the following box is checked: was filed on as United States Application Number or PCT International Application Number and was amended on (if applicable).
** ** ** ** ** ** ** **	box is checked: was filed on as United States Application Number or PCT International Application Number and was amended on

smean of time you are required to complete this form should be sent to the Chert Information Officer, Patent and Trutemark Office. Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO. Commissioner of Patents and Trutemarks, Washington, DC 20231.

Priority Not Claimed

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Japanese Language Declaration (日本語宣言書)

私は、米国独飛飛り5種119条(a)-(d) 原文は365条 (b) 頃に恵き下記の、米国以外の国の少なくとも一声四を指 近している特許能力条約365(a) 頃に悪子(国間出館、 は外国での特許出館もしくは契明が証の出版についての外国 保光棟をことは・提引するともに、保光棟を未続している。 本出館の前に出館された特許または発明者近の外国出額を以 下に、持内をマークすることで、売しています。

Prior Foreign Application(s) 外国での先行出版 2000-022278 Japan (Number) (Country) (坚果) (国名) (Number) (Country) (番号) 0 (国名) 1 私.t. 第35編米団法典119条(e)項に基いて下記の米 国特許出願規定に記載された権利をここに主張いたします。 3. (Application No.) (Filing Date) 118 (出願器号) (出顧日)

私は、下記の米国佐奥第35編120条に基いて下記の米 国特許出順に記載された権利、又は米国を指定している特計・ 協力条約365条(へ)に基づく権利をここに主動しまう。ま した、未出期の各項水和圏の内容が米国法奥第35編112条 (第1項又は特許協力条約で規定された方法で先行する米国特 以降で本出版書の日本国内または特許協力条約配張性日享 での期間に入手された。選邦規則法第37編1条57 でで義された特許技術のイ無に関する重要を指常について同 示義務があることを認識しています。

(Application No.) (Filing Date) (出類母)
(Application No.) (Filing Date) (出數母) (田默왕) (田默왕) (田默왕)

私は、私員点の知識に基づいて大宣賞書中で乱が存なる表 明が真実であり、かつ私の入中上方備2を私の作じるところ に基づく書明が金、真実であると似じていること、さらに故 窓になされた成協の当会に基づき、前金または拘禁、もしくはこ の両方により処罰されること、そしてそのような故意による 直偽の声明を行文式、出報した、又は底に持ずるよれた特別 の行力性が失われることを想義し、よってここにト記のごと く言葉を数しまつ。 I hereby claim foreign priority under Title 35, United States Code, Section 118 (a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States, itsed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is caimed.

31/01/00 任先権も残なし
(Day/Month/Year Filed)
(出版年月日)
(Day/Month/Year Filed)
(比版年月日)

t hereby claim the benefit under Title 35. United States Code, Section 119(e) of any United States provisional application(s) listed below.

(Application No.) (Filing Date) (出顧音号) (出顧日)

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, i acknowledge the duty to disclose information which is material to patentability as defined in Title 27, Code of Federal Regulations, Section 15.8 which became available between the filling date of the prior application and the national or PCT international filling date of application and the national or PCT international filling date of application.

(Status: Patented, Pending, Abandoned) (现於:特許許可済、條萬中、放養済) (Status: Patented, Pending, Abandoned)

(現況:特許許可済、係属中、放棄済)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such wittut false statements may jeopardize the validity of the application or any patent issued thereon.

	respond to a collection of information unless it displays a valid OMB control number.
Japanese Lai (日本	nguage Declaration 語宣言書) -
委託技: 私は下記の乗明者として、本出額に関する一切 予統さを米秀許高等所に対して遂行する手理士または代理 として、下記の者を指名いたします。(弁護士、または代明 人の氏名及び登録者等を明記のこと)	the following attorney(s) and/or agent(s) to prosecute this
	Aaron B. KARAS, Reg. No. 18,923; Samson HELAJOTT, Reg. No. 23,072 and Leonard COOPER Reg. No. 27,625 Send Correspondence to:
吉 類送付先	HELFOOTT & KARAS, P.C. Empire State Building, 60th Floor
·	New York, New York 10118 United States of America
直接電話連絡先: (名前及び電話番号)	Direct Telephone Calls to: (name and telephone number)
	Helfgott & Karas, P.C. (212) 643-5000
唯一または第一発明者名	Full name of sole or first inventor You'chiro IGARASHI
発明者の署名 日付	Inventor's signature you chiro Igorashi Dec. 26, 2000
住所	Residence / Kawasaki, Japan
河提	Citizenship Japanese
私杏箱	Post Office Address C/O FUJITSU LIMITED, 1-1,
	Kamikodanaka 4-chome, Nakahara-ku, Kawasaki 211-8588 Japan
第二共同発明者	Full name of second joint inventor, if any Shinya YAMAMURA
第二共同発明者 目付	Second inventor's signature Date Ninga Yamaman Dec. 26, 2000
住所	Residence Fukuoka, Japan
医籍	Cazenship Japanese
私告祭	Post Office Address C/O FUJITSU NISHI-NIHON COMMUNICATION SYSTEMS LIMITED, 2-1.
1.	Momochihama 2-chome, Sawara-ku, Fukuoka-s Fukuoka 814-8588 Japan

3

(第三以降の共同発明者についても同様に記載し、署名をす (Supply similar information and signature for third and subsequent joint inventors.) ること)

第三共同発明者		Full name of third joint inventor.if any Mitsuaki KAKEMIZU
第三共同発明者	日付	Third inventor's signature Date Material Halaming Dec. 26, 2000
住 所		Residence
		Kawasaki, Japan
国 籍		Citizenship
		Japanese
私書箱		Post Office Addressc/o FUJITSU LIMITED, 1-1,
		Kamikodanaka 4-chome, Nakahara-ku, Kawasaki
		211-8588, Japan
第四共同発明者		Fuil name of fourth joint inventor, if any Kazunori MURATA
第四共同発明者	日付	Fourth inventor's signature Date Lagunari Munuta Dec. 26, 2000
住 所		Residence Fukuoka, Japan
国 籍		Citizenship Japanese
私書箱		Post Office Address/o FUJITSU NISHI-NIHON COMMUNICATION SYSTEMS LIMITED, 2-1, Momochi
		2-chome, Sawara-ku, Fukuoka-shi, Fukuoka 814-8588 Japan
第五共同発明者		Full name of fifth joint inventor, if any Masaaki WAKAMOTO
第五共同発明者	日付	Fifth inventor's signature Date Dec. 26, 2000
住 所		Residence
		Kawasaki, Japan
国籍		Citizenship
		Japanese
私書籍		Post Office Addres∞/o FUJITSU LIMITED, 1-1, Kamikodanaka 4-chome, Nakahara-ku, Kawasaki
		211-8588, Japan
第六共同発明者		Full name of sixth joint inventor, if any
第六共同発明者	日付	Sixth inventor's signature Date
住 所		Residence
国 籍		Citizenship
私書籍		Post Office Address

記載し、署名をすること)

二の天皇 とい

(第七以降の共同発明者についても同様に (Supply similar information and signature for seventh and subsequent joint inventors.)

THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of: Yoichiro IGARASHI et al.

Filed

: Concurrently herewith

For

: NETWORK SYSTEM WITH DYNAMIC

Serial No.

: Concurrently herewith

January 12, 2001

Assistant Commissioner of Patents Washington, D.C. 20231

SUB-POWER OF ATTORNEY

S I R:

I, Samson Helfgott, Reg. No. 23,0723 attorney of record herein, do hereby grant a sub-power of attorney to Linda S. Chan, Reg. No. 42,400, Harris A. Wolin, Reg. No. 39,432, Brian S. Myers, Reg. No. 46,947 and Michael Markowitz, Reg. No. 30,659 to act and sign in my behalf in the above-referenced application.

Respectfully submitted,

Samson Helfgott Reg.No 23,072

HELFGOTT & KARAS, P.C. 60th FLOOR EMPIRE STATE BUILDING NEW YORK, NY 10118 DOCKET NO.:FUJR18.213 BHU:power

Filed Via Express Mail Rec. No.: EL522394294US

On: January 12, 2001

By: Brendy Lynn Belony
Any fee due as a result of this paper,
not covered by an enclosed check may be
charged on Deposit Acct. No. 08-1634...




FIG. 24








FIG. 23









Control Parameters	Description
Charge	System warns the user when the amount of service charges has exceeded a limit predefined by the user, prompting him/her to decide whether to continue the service.
Time	User may choose a more affordable service which is available only in low-traffic hours. User may choose variable-class service which provides different levels of service depending on the time of day.
Service Class	User may choose variable-class service which provides different levels of service depending on the type of applications, or type of packets, to minimize the usage-based charge.
Roaming Option	User may enable roaming option with additional cost. User may cut the cost by disabling roaming option.

FIG. 18

Description	(Service Class-dependent Basic Charge) + (Service Class-dependent Hourly Rate) * (Excess Hours)	Summation of [(Servic Class-dependent Rate) * (Total Amount of Packets Transferred to/from Edge Node (Foreign Agent))]
Item	Flat-rate Accounting (Fixed charge for limited hours, plus additional charge for excess hours)	Usage-based Accounting (Proportional to the amount of packets transferred)

FIG. 17

Service Class	Description
Class A	Maximum transmission delay is guaranteed to be within a prescribed tolerance
Class B	In Diffserv, high priority queuing is applied as long as it does not affect Class A traffic. May be divided into several subclasses, depending on Diffserv types
Class C	Best-effort service. Lower priority queuing than Class B.

531

FIG. 16

ltem	Description
User NAI	User's Network Access Identifier (NAI)
User Profile	User name, Address, Phone No. etc.
User Authentication Data	Mobile Node-AAA Authentication Key, SPI, User ID, Password
Service Level Agreement (SLA)	Service agreement with customer
Service-specific Profile	Diffserve, Packet Filtering, ANYCAST, Multi Cast, etc

FIG. 15

lome /	Item Home Address	Description Home address assigned to mobile node
Care-of Address of Mobile Node	lobile	IP address of foreign agent to which mobile node is currently attached
Correspondent Node with Route Optimization	ith	IP address of correspondent node to which route optimization is being applied
Registration Request		Identifier used to associate between request and response
Lifetime		Valid Period of Registration Request
Authentication Data		Authentication data used by foreign agent to authenticate requesting mobile node

F1G. 14

		2000
520~	Item	Description
J	IP Source Address (Home	Home address assigned to mobile node. Notified by
	Address)	registration request or AMA message
	Link Layer Source Address of Mobile Node	Link layer (MAC) address of mobile node
	UDP Source Port	UDP Source port of mobile node
	V	Address of home agent. Provided in registration
	Home Agent Address	request or AMA message
	14	Identifier used to associate between request and
	Registration Request Identifier	response
	Lifetime	Valid period of registration request
	:	Authentication data used by foreign agent to
	Authentication Data	authenticate requesting mobile node

FIG. 13

514~	Item	Description
	Session ID	<nai mobile="" node="" of=""><32-bit Value><optional value=""></optional></nai>
	Session Timer	Remaining lifetime of this transaction
	Mobility Binding	Pointer to mobility binding
	200	Flag indicating that service profile is being updated in
	SOR Reduest riag	correspondent node
	SCR Requester Address	IP address of the entity requesting SCR

FIG. 12

Item	Description
Session ID	<nai mobile="" node="" of=""><32-bit Value><0ptional Value></nai>
Home Agent Address	IP address of home agent allocated by AAAH
	IP address of AAAF that is allowed by AAAH to
HA-managing AAAF Address	allocate home agent
Current AAAF Address	IP address of AAAF requesting AMR
Previous AAAF Address	IP address of previously used AAAF
Address Proxy Address	IP address of address proxy in ANYCAST service
H	Authentication data for validate association between
Security Information	this AAAH and other entities (HA, AAAF)
Session Timer	Remaining lifetime of this transaction
Address Proxy Server Address	IP address of address proxy server
Foreign Agent Service Profile	See FIG. 3
Home Agent Service Profile	See FIG. 3
	Waiting, HA Requested, AMA in Process, HA Change
Current State	Requested, FA Change Requested

F1G. 11

519	Item	Description
ر ا ا	Session ID	<nai mobile="" node="" of=""><32-bit Value><0ptional Value></nai>
	AAAH Address	IP address of AAAH identified by mobile node NAI
	Home Agent Address	IP address of home agent allocated by AAAF
	Previous Foreign Agent NAI	NAI of previous foreign agent to which the mobile node was attached
	Current Foreign Agent NAI	NAI of foreign agent to which the mobile node is currently attached
	SCR Requester Address	IP address of AAAH that is requesting SCR
		Authentication data for validate association between
	Security Information	this AAAF and other entities (FA, AAAH, HA allocated
		by AAAH)
	Session Timer	Remaining lifetime of this transaction
	Foreign Agent Service Profile	See FIG. 3
	Home Agent Service Profile	See FIG. 3
		Waiting, HA requested, AMA in process, HA Change
	Current State	Requested, FA Change Requested

F1G. 1

Description	<nai mobile="" node="" of=""><32-bit Value><0ptional Value></nai>	Remaining lifetime of this transaction	
	<nai mob<="" of="" td=""><td>Remaining lif</td><td></td></nai>	Remaining lif	
Item	Session ID	Session Timer	

Е. С.


	Search	Cache Class	Cache Search Result	Individual Control Data Search Result	Next Action
502			-	井	Normal end
 	_	ASPCsrc	Ë	No Hit	Abnormal end
			No Hit		Search NSPCsrc
				芋	Normal end
	2	NSPCsrc	Ħ	No Hit	Search NDSPsrc
	ı		No Hit		Search ASPCdst
			-	北	Normal end
	က	ASPCdst	±	No Hit	Abnormal end
			No Hit		Search NSPCdst
			=	냪	Normal end
	4	NSPCdst	Ĭ	No Hit	Search NDSPdst
			No Hit		Use NDSP
	ı	0		士	Normal end
	ç.	NDSP	Ħ	No Hit	Abnormal end

F1G. 8


	Service Profile Cache	Cache	Description
		Source SPC (NSPCsrc)	A collection of service profiles to be used mainly for user- independent, common services. Indexed by source address information of data packets. Created by a mobility agent at the time of initial set-up, based on static information stored in hard drives and other storage devices of network equipment.
.,		Source Default SP (NDSPsrc)	Service profile applied when there is a hit in NSPCsrc, but no hit in individual control tables.
SPC	Node-specific SPC (NSPC)	Destination SPC (NSPCdst)	A collection of service profiles to be used mainly for user- independent, common services. Indexed by destination address information of data packets. Created by a mobility agent at the time of initial set-up, based on static information stored in hard drives and other storage devices of network equipment.
		Destination Default SP (NDSPdst)	Service profile applied when there is a hit in NSPCdst, but no hit in individual control tables.
		Default SP (NDSP)	Default service profile used when no hit is found. For retrieval of a network device-specific control table (routing table).
	AAA	Source SPC (ASPCsrc)	A collection of user-specific service profiles. Indexed by source address information of data packets that are sent from AAA systems when a mobile node logs in to the network.
	Communication (ASPC)	Destination SPC (ASPCdst)	A collection of user-specific service profiles. Indexed by destination address information of data packets that are sent from AAA systems when a mobile node logs in to the network.

1-1	Data Items	Detailed Data Items	Description
ر د د		Session Identifier	Indicate session type
,	Profile Identifier	Profile Number	Uniquely assigned to each session
		Source Address	
10-2	Packet Extraction	Source Port No.	Dackat filtering rules
J	Parameters	Destination Address	1 acree :::: Carre ::: Car
		Destination Port No.	
		Encapsulation	How to encansulate packets to be routed
10-3		(Encryption) Method	To a second sampadage of Moll
۔ !	Routine/ Packet	Routing Address (Multiple	IP address of the next node
	Falcilis	Entries Allowed)	
	Parameters	Type of Service (TOS)	TOS field value to be set to IP header
		Decapsulation Command	Request for decapsulation
			Designate which control table to search
			 service profile cache
10-4			- binding cache
ر <u>1</u> 2	Individual Control	Service Control Type	 MIP home (mobility binding)
	Data		 MIP foreign (visitor list)
			- ANYCAST (extended visitor list)
			- routing table
		Control Data Identifier	Pointer to an intended part of the table

F1G. 6



.. ... 5








FIG. 3





F1G. 1





FIG. 41(A)

Message	Action to be Invoked	Criteria	Destination	Message to send
Necelved		w/o Home-Agent-Address AVP	Current AAAF	AMA
	-	with Home-Agent-Address AVP	Home Agent	HAR
AMR	Create session transaction	(Mobile node has roamed into different AAAF domain) and (Home agent has been allocated by previous AAAF)	Purevious AAAF	AMR
AMA	Forward AMA		Current AAAF	AMA
НАА	Set Home 'Agent		Current	AMA
	transaction			
SCA	Forward SCA	in "HA Change Requested"	Current	SCR
	message	state		
	Forward SFR	/c Home Agent allocation	Requesting	SFA
SFR	message, and	W/ 0 HOIRE Agent amodation	entity	
· 5	terminate session	with Home Agent allocation	Home Agent	SFR
	transaction	With Holling Company		
د ا	Terminate session	in "HA Release Requested"	Current	SFR
N-A	transaction	state	AAAF	

FIG. 42

	Ol acions	Condition	
NAI	OESSION ID		
eerA@domain1	<ur>(user A@domain1><10.11.22.33.><19991029013445></ur>	if \$100≧	
SCI VE GOINGIN		/ 01	
userB@domain1	<userb@domain1><10.11.22.33.><19991029003445></userb@domain1>	it \$150€	
30 0 30111			_
	•		
		/ 014 0	_
user7@domain1	<userz@domain1><10.12.23.4><19991029091000></userz@domain1>	it \$50 <i>≡</i>	_

FIG. 43



F1G. 44




FIG. 45





FIG. 46



F1G. 47





FIG. 48



F1G. 49




FIG. 50

	Service Type	Diffserv
	Diffsery Activation Policy	*
	Service Class	Class C
Additional	Direction	Upstream
Information I	IP Address	*
	Port No.	*
	Diffsery Activation Policy	Time : 23:00 to 08:00
	Service Class	Class B
Additional	Direction	Downstream
Information 2	IP Address	*
	Port No.	*
	Diffsery Activation Policy	Time : 08:00 to 23:00
	Service Class	Class C
Additional	Direction	Downstream
Information 3	IP Address	*
	Port No.	*

FIG. 51

	Service Type	Diffserv
	Diffsery Activation Policy	*
	Service Class	Class C
Additional	Direction	Upstream
Parameters 1	IP Address	*
	Port No.	*
	Diffsery Activation Policy	*
	Service Class	Class B
Additional	Direction	Downstream
Parameters 2	IP Address	*
	Port No.	*
	Diffsery Activation Policy	Amount of Charges ≥\$100
	Service Class	Class C
Additional	Direction	Downstream
Parameters 3	IP Address	*
	Port No.	*

FIG. 52

			\neg
Packet Filtering	Filter Activation Policy (IP Address) AND (Time 08:00 to 21:00)	*XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	*
Service Type	Filter Activation Policy	IP Address	Port No.
Š		Additional	Parameters

FIG. 53



FIG. 54



FIG. 55




FIG. 56